

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: Protectosil® CHEM-TRETE® BSM 400

Other means of identification

None.

Recommended restrictions

Recommended use: For industrial use

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Company Name : Evonik Corporation
2 Turner Place
Piscataway, NJ 08854
USA

Telephone : +1 732 981 5000

E-mail : product-regulatory-services@evonik.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency : 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 4

Health Hazards

Skin Corrosion/Irritation Category 2

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement:

 Combustible liquid.
 Causes skin irritation.

Precautionary Statements
Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash face, hands and any exposed skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients
Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) [*]
Trialkoxyalkylsilane	Trade Secret	Trade Secret	80 - 100%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information: A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures
Description of necessary first-aid measures
General information:

Remove contaminated or soaked clothing immediately and dispose of safely.

Inhalation:

If aerosol or mists are inhaled, take affected persons out into the fresh air. Possible discomforts include severe irritation of mucus lining (nose, throat, eyes), cough, sneezing and flow of tears. In case of persistent discomfort, obtain medical attention immediately.

Skin Contact:

Immediately wash skin with soap and plenty of water. Remove contaminated clothing and continue rinsing with water for 15-20 minutes. Obtain medical attention immediately if symptoms occur. Wash clothing before reuse.

Eye contact:	Keeping eyelid open, immediately rinse thoroughly for at least 5 minutes using plenty of water or, if necessary, eye rinsing solution. In case of persistent discomfort: Consult an ophthalmologist.
Ingestion:	If swallowed, rinse mouth with water (only if the person is conscious). Get medical attention immediately.
Personal Protection for First-aid Responders:	No data available.

Most important symptoms and effects, both acute and delayed

Symptoms:	None known.
Hazards:	None known.

Indication of immediate medical attention and special treatment needed

Treatment:	If required, therapy of irritative effect. After absorbing large amounts of substance: administration of activated charcoal. Acceleration of gastrointestinal passage
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

5. Fire-fighting measures**Suitable (and unsuitable) extinguishing media**

Suitable extinguishing media: Water spray, fog, CO₂, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media: High volume water jet.

Special hazards arising from the substance or mixture: Combustible liquid. Vapors can travel to a source of ignition and flash back. Explosive mixtures may occur at temperatures at or above the flashpoint. Products that may be released in case of fire: carbon monoxide, carbon dioxide.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Containers can build up pressure if exposed to heat (fire). Cool with water spray.

Special protective equipment for fire-fighters: As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ensure sufficient ventilation. Use personal protective equipment.

Accidental release measures: Remove sources of ignition and ventilate area. Run off may create fire or explosion hazard in sewer. Assure sufficient ventilation.

Methods and material for containment and cleaning up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Environmental Precautions:

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

7. Handling and storage**Handling****Technical measures (e.g. Local and general ventilation):**

Provide adequate ventilation.

Safe handling advice:

Use in the open air or with adequate ventilation. For personal protection see section 8. Keep away from heat, sparks, flames and other sources of ignition. Keep container tightly closed. Use only with adequate ventilation.

Vapors may spread long distances and travel to areas away from the work site before igniting or flashing back to the vapor source.

Contact avoidance measures:

No data available.

Storage**Safe storage conditions:**

The product has an intermediate conductivity (static conductivity 100-10,000 pS/m) Liquids with a low conductivity (static conductivity < 100 pS/m) or intermediate conductivities (static conductivity 100 pS/m - 10,000 pS/m) might become electrostatically charged and thus present potential sources ignition. Germany: Technical Rules for Hazardous Substances - Prevention of the Risk of Ignition as a Result of Electrostatic Charges EU: NFPA 77, Recommended Practice on Static Electricity Take precautionary measures against static charges, keep away from sources of ignition. This material may have a low electrical conductivity and therefore may accumulate dangerous levels of static electricity. An ignitable vapor-air mixture can form inside storage tanks.

The user must be sure to dissipate static charge by careful bonding and grounding of all equipment and personnel involved in fluid transfer with continuity checks to prove effectiveness. Additional precautions against fire and explosion are the use of inert gas to purge vapor space; dip-pipes while filling vessels, especially lined vessels; grounded tank level floats; reduced flow velocity; self-closing valves on transfer lines and flame arrestors in vent lines.

Additional guidance on fire and explosion protection may be found in various consensus standards, including NFPA 30, 69 and 77 and API 2003 as well as OSHA regulation 29CFR1910.106.

Follow all SDS/label precautions even after container is emptied because it may retain product residues. Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Residual vapors might explode on

ignition; do not apply heat, cut, drill, grind or weld on or near this container.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

Appropriate Engineering Controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection: Use chemical splash goggles or face shield.

Skin Protection

Hand Protection:

Material: Polychloroprene (PCP)
Break-through time: \geq 480 min
Material: Fluorinated rubber (FKM)
Break-through time: \geq 480 min
Guideline: Source: GESTIS substance database (hazardous substance information system of commercial professional associations) Additional Information: Use impermeable gloves., The above mentioned hand protection is based on knowledge of the chemistry and anticipated uses of this product but it may not be appropriate for all workplaces. A hazard assessment should be conducted prior to use to ensure suitability of gloves for specific work environments and processes prior to use., Selection of protective gloves to meet the requirements of specific workplaces., The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and Body Protection: Safety showers and eye showers should be easily accessible. In order to determine further specifications applicable to the personal protection equipment, a hazard assessment according to the OSHA standards (29 CFR 1910.132) for personal protection equipment (PPE) is recommended before the product is used.

Respiratory Protection: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hygiene measures: Avoid contact with skin, eyes and clothing. Do not inhale vapors or aerosols. Do not eat, drink, or smoke when using the product. Remove contaminated or saturated clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Colorless
Odor: Ester-like odor., Fruity
Odor Threshold: No data available.
Freezing point: < -98 °F/< -72 °C (OECD 102)
Boiling Point: Approximate 367 °F/186 °C (1,013 hPa) (DIN 51751)
Flammability: not flammable
Upper/lower limit on flammability or explosive limits
Explosive limit - upper: (DIN 51649) 8.47 %(V)
Explosive limit - lower: (DIN 51649) 0.39 %(V)
Flash Point: 145 °F/63 °C (DIN EN ISO 2719)
Autoignition Temperature: 464 °F/240 °C (1,013 hPa, DIN 51794)
Decomposition Temperature: No data available.
pH: No data available.

Viscosity

Dynamic viscosity: Approximate 0.95 mPa.s (68 °F/20 °C, DIN 53019)
Kinematic viscosity: 1.4 mm²/s (68 °F/20 °C, QSAR)
Flow Time: No data available.

Solubility(ies)

Solubility in Water: not miscible decomposition by hydrolysis
Solubility (other): No data available.
Partition coefficient (n-octanol/water): 2.033 Measured > 2.03 Literature
Vapor pressure: 33 Pa (68 °F/20 °C) (OECD 104) dynamic method
49 Pa (77 °F/25 °C) (OECD 104) dynamic method
Relative density: 0.88 (68 °F/20 °C) (OECD 109)
Density: Approximate 0.88 g/cm³ (68 °F/20 °C) (DIN 51757)
Bulk density: No data available.
Relative vapor density: No data available.

Other information

Explosive properties: Vapours may form explosive mixtures with air.
Oxidizing properties: Not to be expected in view of the structure
Minimum ignition temperature: 464 °F/240 °C (1,013 hPa, DIN 51794)
Peroxides: Not applicable
Metal Corrosion: Not to be expected in view of the structure

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	No dangerous reactions known.
Conditions to avoid:	Keep away from heat and sources of ignition. In the presence of oxygen and heat, the ethanol forming during the reaction may produce acetaldehyde. Material may form acetaldehyde when heated with inorganic pigments in the presence of air.
Incompatible Materials:	Water. Oxidizing substances
Hazardous Decomposition Products:	Ethanol in case of hydrolysis. Alcohol formed by hydrolysis lowers the flash point of the product.

11. Toxicological information

Information on toxicological effects

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat, Female, Male): > 5,000 mg/kg (OECD 401) Based on available data, the classification criteria are not met.

Dermal

Product: LD 50 (Rat, Female, Male): > 2,000 mg/kg (OECD 402) Not toxic after single exposure; Based on available data, the classification criteria are not met.

Inhalation

Product: LC 50 (Rat, Female, Male, 4 h): 5.88 mg/l Dust and mist, Based on available data, the classification criteria are not met.

Repeated dose toxicity

Product: NOAEL (Rat(Female, Male), Oral, 28 d): > 1,000 mg/kg

Skin Corrosion/Irritation

Product: Irritating. OECD 404 (Rabbit): Irritating.;

Serious Eye Damage/Eye Irritation

Product: Rabbit: Not irritating

Respiratory or Skin Sensitization

Product: Maximization Test, OECD 406 (Guinea Pig): Not a skin sensitizer.

Carcinogenicity

Product: Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogens present or none present in regulated quantities

ACGIH: US.ACGIH Threshold Limit Values:

No carcinogens present or none present in regulated quantities

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogens present or none present in regulated quantities

Germ Cell Mutagenicity**In vitro**

Product: Ames test (OECD 471): negative;
Chromosomal aberration (OECD 473): negative;
gene mutation test (OECD 476): negative;

In vivo

Product: Chromosomal aberration (OECD 474) Oral (Mouse, Female, Male):
negative;

Reproductive toxicity

Product: No data available.

Components:

Trialkoxyalkylsilane Animal testing did not show any effects on fertility.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No evidence of aspiration toxicity

Information on health hazards**Other hazards**

Product: No data available.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:****Fish**

Product: LC 50 (Oncorhynchus mykiss, 96 h): 85 mg/l (literature)

Aquatic Invertebrates

Product: EC 50 (Daphnia magna, 48 h): > 49.1 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Components:

Trialkoxyalkylsilane EC 50 (Desmodesmus subspicatus (green algae), 96 h): > 100 mg/l (OECD 201)

Toxicity to microorganisms

Product name: Protectosil® CHEM-TRETE® BSM 400**Product:** NOEC (local activated sludge, 3 h): > 1,000 mg/l (OECD 209)**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** NOEC (Desmodesmus subspicatus (green algae), 72 h): ≥ 36 mg/l (OECD 201)**Toxicity to microorganisms****Product:** NOEC (local activated sludge, 3 h): > 1,000 mg/l (OECD 209)**Persistence and Degradability****Biodegradation****Product:** 75 % (28 d, OECD 301 D), Readily biodegradable**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** not bioaccumulative**Partition Coefficient n-octanol / water (log Kow)****Product:** Log Kow: 2.033 Measured
Log Kow: > 2.03 Literature**Mobility in soil:****Product** Adsorption on the floor: low.**Results of PBT and vPvB assessment:****Product** No data available.**Other adverse effects:****Other hazards****Product:** The data we have at our disposal do not necessitate identification concerning environmental hazard.**13. Disposal considerations****Disposal methods:**Waste must be disposed of in accordance with federal, provincial, state and local regulations. Empty containers must be handled with care due to product residue. **DO NOT HEAT OR CUT THE EMPTY CONTAINER WITH AN ELECTRIC OR GAS TORCH.****Contaminated Packaging:**

Do not reuse empty containers and dispose of in accordance with the regulations issued by the appropriate local authorities. If there is product residue in the emptied container, follow directions for handling on the container's label. Incorrect disposal or reuse of this container is

illegal and can be dangerous. Other countries: observe the national regulations.

14. Transport information

Domestic regulation

49 CFR

UN/ID/NA number : NA 1993
Proper shipping name : Combustible liquid, n.o.s.
(alkoxysilane)
Class : CBL
Packing group : III
Labels : NONE
ERG Code : 128
Marine pollutant : no
Remarks : Not regulated in packages 450 liter or less.

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

Remarks : Not hazardous freight in air traffic (ICAO-TI / IATA-DGR).

IMDG-Code

Not regulated as a dangerous good

Remarks : Not classified as hazardous sea cargo (IMDG code), FOR
USA ONLY: In packagings exceeding 450 L, this product must
be classified, placarded, marked and shipped as Combustible
Liquid to the USA.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Skin Corrosion or Irritation

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.


US State Regulations
US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

16. Other information, including date of preparation or last revision
HMIS Hazard ID

Health	2
Flammability	2
Physical Hazards	1
PERSONAL PROTECTION	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID


Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 06/07/2019

Version #: 1.2

Further Information: No data available.

Revision Information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer:

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.